

CAVE NSR-200 Hybrid Recorder

Quick Setup Guide

快速安裝指南




CAVE-TEK LTD.
sales@cave-tek.com
www.cave-tek.com




Package Details

產品內容

Package 包裝內容




NSR-200 DEVICE
錄影直播盒



POWER ADAPTOR
變壓器



SETUP GUIDE
安裝指南



AUDIO CABLE
音源線

Physical 外觀介紹



FRONT
正面



BACK
背面

Quick Setup Guide 快速安裝指南

0. Basic Usage 基本使用情境




1. Install 安裝




Quick Setup Guide (2)

快速安裝指南 (2)

2. Power On 開機




To open the admin page, right-click the mouse. Alternatively, you can enter the web admin page from your laptop.
按下滑鼠右鍵開啟管理介面,或透過網路進入管理頁面。



- Default IP: **192.168.100.200**
- Account/Password: **admin / 0000**

3. Config 設定



- [Source]: Select HDMI for input 1 and SDI/IP/Cam(USB) for input 2.
- [Record]: Configure the recording settings.
- [Streaming]: Configure the recording settings.
- [PGM]: Configure the PIP, PBP, or full screen for the mixed screen.
 - [影像來源]: 於來源1選擇HDMI訊號, 來源2選擇SDI/IP/Cam(USB) 訊號.
 - [錄影]: 設定錄影參數.
 - [串流]: 設定串流參數.
 - [導播]: 選擇PIP, PBP或是全畫面拼接模式.

4. Start Recording / Streaming 開始錄影/直播

Press the "Record" button to start recording, and the "Streaming" button to start streaming.
按下"Record" 及"Streaming" 按鈕開始錄影與直播。